



# Product information

## Innoman PLUS Skin- and Hand disinfectant

150 ml	REF 1012D
250 ml	REF 1012E
500 ml	REF 1012G
1000 ml	REF 1012I



## Characteristics

- Very good skin tolerance, dermatologically tested "very good"
- No colourant and a very pleasant skin care system
- Short application times with a wide spectrum of efficacy, based on polyalcohol
- Bactericidal, levurocidal, tuberculocidal and limited virucidal PLUS
- With highly purified ingredients

## Product type

Skin-friendly disinfectant for application on the skin and preparing poultices. Comprehensive spectrum of efficacy against bacteria incl. tuberculosis, *Candida albicans* and enveloped viruses such as HIV, HBV, HCV and flu viruses, within a short application time.

## Area of application

Ready-to-use hand disinfectant with lubricating effect for the hygienic and surgical disinfection of hands.

## Notes on application

The preparation is particularly suitable for frequent use in the medical sector as well as in public institutions and the food industry.

For hygienic hand disinfection, rub the hands with 3ml of the solution and keep them moist for the application time stated below. For surgical hand disinfection, rub the hands and forearms with the solution and keep them moist for 1½ minutes. Always close the original container securely after use - dermatologically tested.

## Composition

100g of the solution contain:

10g 1-propanol, 55.8g ethanol.

## Chemical-physical data

Density: 0.89 g/cm<sup>3</sup>

pH value: 5.5

## Application times

Hygienic hand disinfection as per EN 1500, VAH:

Conc. 30 sec.

Bacteria incl. TB (*M. terrae*), *M. avium* and *Candida albicans* as per EN 13727, EN 1276, EN 14348, EN 13624 and EN 1650 (dirty conditions):

Conc. 30 sec.

Enveloped viruses (e.g. HBV, HIV and HCV) as per RKI (Robert Koch Institute) /DVV (German Association for the Control of Virus Diseases) and EN 14476 (dirty conditions):

Conc. 30 sec.

"Limited virucidal Plus" (adenoviruses, noroviruses and rotaviruses) as per EN 14476 (clean conditions):

Conc. 60 sec.

For surgical hand disinfection (in the medical field), rub hands and forearms with the solution and keep moist for 90 seconds.

Surgical hand disinfection as per EN12791:

Conc. 90 sec.

### Additional details regarding the spectrum of efficacy

- Hygienic hand disinfection as per EN 1500 and VAH (The Association for Applied Hygiene);
- Surgical hand disinfection as per EN 12791;
- Bacteria (incl. MRSA) as per EN 13727 and EN 1276;
- *Candida albicans* as per EN 13624 and EN 1650;
- Mycobacteria (*M. terrae* and *M. avium*) as per EN 14348;
- "Limited virucidal" (enveloped viruses such as HBV, HCV and HIV) as per RKI/DVV and EN 14476;

## Certificates

Our products have been scientifically examined and tested in accordance with the latest methods. We will be happy to send you copies of our assessments on request.

## Contact

PRISMAN Pharma International AG  
Am Stalden 16  
4622 Egerkingen  
Switzerland

Tel.: +41 (0)62 206 20 60

Fax: +41 (0)62 206 20 69

[www.innocid.com](http://www.innocid.com)

[info@prismanpharma.com](mailto:info@prismanpharma.com)

## Manufacturer

PRISMAN GmbH  
Otto-Hahn-Ring 6-18  
64653 Lorsch

- "Limited virucidal Plus" (adenoviruses, noroviruses and rotaviruses) as per EN 14476.

### Safety guidelines for professionals + consumers

H 225 Flammable liquid and vapour. H 319 Causes severe eye damage. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear eye protection. Keep the container tightly closed. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Dispose of the contents / container according to local / regional / national / international regulations. Keep out of the reach of children. Read the identification label before use.



**Danger**