Printing date 31.05.2021

Version number 3

Revision: 31.05.2021

· 1.1 Product identifier

- Trade name: Innodes IMP
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Life cycle stages PW Widespread use by professional workers
- Sector of Use SU20 Health services
- Product category PC8 Biocidal products
- Technical function Biocide
- · Application of the substance / the mixture Disinfectant

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch Germany

 Further information obtainable from: Abteilung Produktsicherheit Alexander.Metz@prisman.de
 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008Acute Tox. 4H302Harmful if swallowed.Skin Corr. 1BH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.Aquatic Acute 1H400Very toxic to aquatic life.Aquatic Chronic 2H411Toxic to aquatic life with long lasting effects.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

Signat word 2 a	
didecyldimethyld	ning components of labelling: ummonium chloride yl)-N-dodecylpropane-1,3-diamine
· Hazard stateme	nts
H302 Harmful ij	f swallowed.
0 0	vere skin burns and eye damage.
	to aquatic life with long lasting effects.
· Precautionary s	
P273	Avoid release to the environment.
P280	Wear protective gloves / eye protection.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Labelling of pac	kages where the contents do not exceed 125 ml -

(Contd. on page 2)

Printing date 31.05.2021

Version number 3

Revision: 31.05.2021

Trade name: Innodes IMP

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:		
CAS: 7173-51-5	didecyldimethylammonium chloride	2.5-10%
EINECS: 230-525-2 Index number: 612-131-00-6	Skin Corr. 1B, H314; 🚯 Aquatic Chronic 2, H411; 🚯 Acute Tox. 4, H302	
CAS: 2372-82-9	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2.5-10%
EINECS: 219-145-8		
	fatty alcohol polyglycol ethers	<i>≤</i> 2.5%
	♦ Eye Irrit. 2, H319	
CAS: 139-33-3	disodium dihydrogenethylenediaminetetraacetate	<i>≤</i> 2.5%
EINECS: 205-358-3	🚸 STOT RE 2, H373; 🚸 Acute Tox. 4, H332	
· Additional information · For	the wording of the listed hazard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.

(Contd. on page 3)

(Contd. of page 1)

GB

Printing date 31.05.2021

*

*

Version number 3

Revision: 31.05.2021

Trade name: Innodes IMP

(Contd. of page 2)	1
Wear protective clothing. Wear protective equipment. Keep unprotected persons away.	
6.2 Environmental precautions:	
Do not allow product to reach sewage system or any water course.	
Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.	
6.3 Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralising agent. Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
6.4 Reference to other sections	
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	
See Section 3 for disposal information.	
	_
SECTION 7: Handling and storage	
7.1 Precautions for safe handling Keep receptacles tightly sealed.	
Information about fire - and explosion protection: The product is not flammable.	
7.2 Conditions for safe storage, including any incompatibilities	
Storage: Requirements to be met by storerooms and receptacles:	
Prevent any seepage into the ground.	
Store only in the original receptacle. Information about storage in one common storage facility: Not required.	
Further information about storage conditions:	
Store in upright position.	
Keep container tightly sealed. 7.3 Specific end use(s) No further relevant information available.	
7.5 Specific eni use(s) 110 jurnier recevant information available.	
SECTION 8: Exposure controls/personal protection	
	1
8.1 Control parameters Additional information about design of technical facilities: No further data; see item 7.	
Ingredients with limit values that require monitoring at the workplace:	
The product does not contain any relevant quantities of materials with critical values that have to be	
monitored at the workplace. Additional information: The lists valid during the making were used as basis.	
8.2 Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin. Respiratory protection:	
Use suitable respiratory protective device only when aerosol or mist is formed.	
Not required.	
Not required. Protection of hands:	
Not required.	
Not required. Protection of hands:	

Printing date 31.05.2021

Version number 3

Revision: 31.05.2021

Trade name: Innodes IMP

(Contd. of page 3) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:
- Rubber gloves
- For the permanent contact gloves made of the following materials are suitable: Neoprene gloves • As protection from splashes gloves made of the following materials are suitable:

Natural rubber, NR Butyl rubber, BR

Fluorocarbon rubber (Viton)

• **Eye protection:** Safety glasses



Tightly sealed goggles

9.1 Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Amine-like	
Odour threshold:	Not determined.	
pH-value at 20 °C:	>11	
Change in condition Melting point/freezing point: Initial boiling point and boiling range	Undetermined. : 0 °C	
Flash point:	>100 °C	
Flammability (solid, gas):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1.01 g/cm ³	

GB

Printing date 31.05.2021

Version number 3

Revision: 31.05.2021

Trade name: Innodes IMP

	(Contd	. of page 4
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	87.0 %	
VOC (EC)	0 %	
Solids content:	4.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1,148 mg/kg

Inhalative LC50/4 h 733 mg/l

7173-51-5 didecyldimethylammonium chloride

Oral LD50 500 mg/kg (ATE)

2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Oral LD50 100 mg/kg (ATE)

139-33-3 disodium dihydrogenethylenediaminetetraacetate

Inhalative LC50/4 h 1.5 mg/l (ATE)

• Primary irritant effect:

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 31.05.2021

Version number 3

Revision: 31.05.2021

Trade name: Innodes IMP

(Contd. of page 5)

- *Reproductive toxicity* Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- *Aquatic toxicity:* No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Very toxic for fish

Toxic for fish

- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES

07 06 00 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics

07 06 99 wastes not otherwise specified

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information
--

· 14.1 UN-Number

· ADR, IMDG, IATA

UN1903

• 14.2 UN proper shipping name

(Contd. on page 7)

GB

Safety data sheet

Printing date 31.05.2021 Vers	sion number 3	Revision: 31.05.202
Trade name: Innodes IMP		
		(Contd. of page
· ADR · IMDG	(3-aminopropyl)-N-d didecyldimethyl ENVIRONMENTALLYH DISINFECTANT, LIQU aminopropyl)-N-dod	ID, CORROSIVE, N.O.S. (N-(3 decylpropane-1,3-diamine
·IATA	POLLUTANT DISINFECTANT, LIQU	onium chloride), MARIN ID, CORROSIVE, N.O.S. (N-(2 decylpropane-1,3-diamine mchloride)
· 14.3 Transport hazard class(es)		
· ADR, IMDG		
· Class	8 Corrosive substances.	
· Label	8	
· Class · Label	8 Corrosive substances. 8	
· 14.4 Packing group · ADR, IMDG, IATA	III	
· 14.5 Environmental hazards:		
• Marine pollutant:	Yes Symbol (fish and tree)	
Special marking (ADR):	Symbol (fish and tree)	
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Corrosive subst 80 F-A,S-B	tances.
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code		
• Transport/Additional information:		
· ADR · Excepted quantities (EQ): · Limited quantities (LQ)	E1 5L	
• Excepted quantities (EQ)	- Code: E1 Maximum net quantity pe Maximum net quantity pe	r inner packaging: 30 ml r outer packaging: 1000 ml
· Transport category	3	pueungung. 1000 mm
• Tunnel restriction code	E	
·IMDG		

- GB

Printing date 31.05.2021 Version number 3 Revision: 31.05.2021

Trade name: Innodes IMP

	(Contd. of page 7)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
• UN "Model Regulation":	UN 1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3- DIAMINE, DIDECYLDIMETHYLAMMONIUM CHLORIDE), 8, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008 GHS label elements

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- \bullet **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- · **REGULATION** (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Regulation (EU) No 649/2012

7173-51-5 didecyldimethylammonium chloride

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Customs tariff No.: 3808 9490

· Relevant phrases

H301 Toxic if swallowed. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: Abteilung Produktsicherheit · Contact: Hr. Dr. Metz · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 9)

Annex I Part 1

Printing date 31.05.2021

Version number 3

Revision: 31.05.2021

Trade name: Innodes IMP

vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity - oral – Category 3
Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* * Data compared to the previous version altered.

(Contd. of page 8)