Printing date 08.06.2021 Version number 3 Revision: 08.06.2021

· 1.1 Product identifier

-

- · Trade name: Innoman PLUS
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- · Sector of Use

SU20 Health services

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC8 Biocidal products
- · Technical function Biocide
- · Application of the substance / the mixture Hand disinfactant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

PRISMAN GmbH Otto Hahn Ring 6-18 D-64653 Lorsch

Germany

· Further information obtainable from:

Abteilung Produktsicherheit Alexander.Metz@prisman.de

· 1.4 Emergency telephone number: ++49 (0)6251 866980-0, Mo - Fr 8-18 Uhr

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Labelling of packages where the contents do not exceed 125 ml -
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

Printing date 08.06.2021 Version number 3 Revision: 08.06.2021

Trade name: Innoman PLUS

· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol Flam. Liq. 2, H225	50-100%
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol ♣ Flam. Liq. 2, H225; ♣ Eye Dam. 1, H318; ♠ STOT SE 3, H336	2.5-10%
CAS: 56-81-5 EINECS: 200-289-5 RTECS: MA 8050000	glycerol substance with a Community workplace exposure limit	2.5-10%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)

Trade name: Innoman PLUS

(Contd. of page 2)

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in upright position.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm

Sk

56-81-5 glycerol

WEL Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 08.06.2021 Version number 3 Revision: 08.06.2021

Trade name: Innoman PLUS

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Rubber gloves

- · For the permanent contact gloves made of the following materials are suitable: Neoprene gloves
- · Eye protection:



Tightly sealed goggles

· Body protection: None

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and cl · General Information · Appearance:	hemical properties	
Form:	Fluid	
Colour:	Colourless	
· Odour:	Alcohol-like	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	5.5	
· Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. 78°C	
· Flash point:	13 °C (DIN 51755)	
· Flammability (solid, gas):	Not applicable.	
· Ignition temperature:	425 ℃	
Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	2.1 Vol %	
Upper:	15 Vol %	
· Vapour pressure at 20 °C:	59 hPa (calc.)	
· Density at 20 °C:	0.89 g/cm^3	
· Relative density	Not determined.	
· Vapour density	Not determined.	

(Contd. on page 5)

Printing date 08.06.2021 Version number 3 Revision: 08.06.2021

Trade name: Innoman PLUS

		(Contd. of page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	67.0 %	
Water:	32.0 %	
VOC (EC)	65 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

Printing date 08.06.2021 Version number 3 Revision: 08.06.2021

Trade name: Innoman PLUS

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES	
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics	
07 06 99	wastes not otherwise specified	

- · Uncleaned packaging:
- Recommendation: Dispose of packaging according to regulations on the disposal of packagings.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1987
· 14.2 UN proper shipping name	
ADR	1987 ALCOHOLS, N.O.S. (ETHANOL (ETHY ALCOHOL), n-PROPANOL (PROPYL ALCOHOL) NORMAL))
· IMDG	ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL), PROPANOL (PROPYL ALCOHOL, NORMAL))
· IATA	ALCOHOLS, N.O.S. (ETHANOL, n-PROPANOL (PROP) ALCOHOL, NORMAL))
· 14.3 Transport hazard class(es)	
· Class	3 Flammable liquids.
· Label	3
14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	
=	No
Marine pollutant:	
· 14.5 Environmental hazards: · Marine pollutant: · 14.6 Special precautions for user · Hazard identification number (Kemler code):	Warning: Flammable liquids.
Marine pollutant: 14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Flammable liquids.
Marine pollutant: 14.6 Special precautions for user	Warning: Flammable liquids. 33 F-E, <u>S-E</u>

(Contd. on page 7)

Trade name: Innoman PLUS

	(Contd. of page
· Transport/Additional information:	
· ADR	
Excepted quantities (EQ):	E2
· Limited quantities (LQ)	IL
	-
· Excepted quantities (EQ)	Code: E2
• • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S. (ETHANOL (ETHY
Civ monet Regulation .	ALCOHOL), N-PROPANOL (PROPYL ALCOHOL
	NORMAL)), 3, II
	11010mil/), 5, 11

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

- · Recommended restriction of use Product only for professional use
- · Department issuing SDS: Abteilung Produktsicherheit
- · Contact: Hr. Dr. Metz
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.06.2021 Version number 3 Revision: 08.06.2021

Trade name: Innoman PLUS

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 · * Data compared to the previous version altered.

(Contd. of page 7)